



ICD-9-CM Code	ICD-10-CM Code(s)
496	Chronic airway obstruction, not elsewhere classified
ICD-10-CM codes	<p>J44.9 Chronic obstructive pulmonary disease, unspecified **There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection</p> <p>J44.1 Chronic obstructive pulmonary disease with (acute) exacerbation</p> <p>** Code also type of asthma, if applicable (J45.-) ** Use additional code to identify:</p> <ul style="list-style-type: none"> - exposure to environmental tobacco smoke (Z77.22) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17.-) - tobacco use (Z72.0)
786.05	Shortness of breath R06.02 Shortness of breath
327.23	Obstructive sleep apnea (adult) (pediatric)
ICD-10-CM codes	<p>G47.33 Obstructive sleep apnea (adult)(pediatric) ** Code also any associated underlying condition</p>
793.19	Other nonspecific abnormal finding of lung field
ICD-10-CM codes	<p>R91.8 Other nonspecific abnormal finding of lung field ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>R91.1 Solitary pulmonary nodule</p>
493.90	Asthma, unspecified type, unspecified
ICD-10-CM codes	<p>J45.909 Unspecified asthma, uncomplicated ** There are more specific code choice selections available for asthma. These include:</p> <p>J45.20 Mild intermittent asthma, uncomplicated</p> <p>J45.21 Mild intermittent asthma with (acute) exacerbation</p> <p>J45.22 Mild intermittent asthma with status asthmaticus</p> <p>J45.30 Mild persistent asthma, uncomplicated</p> <p>J45.31 Mild persistent asthma with (acute) exacerbation</p> <p>J45.32 Mild persistent asthma with status asthmaticus</p> <p>J45.40 Moderate persistent asthma, uncomplicated</p> <p>J45.41 Moderate persistent asthma with (acute) exacerbation</p> <p>J45.42 Moderate persistent asthma with status asthmaticus</p> <p>J45.50 Severe persistent asthma, uncomplicated</p> <p>J45.51 Severe persistent asthma with (acute) exacerbation</p> <p>J45.52 Severe persistent asthma with status asthmaticus</p> <p>J45.901 Unspecified asthma with (acute) exacerbation</p> <p>J45.902 Unspecified asthma with status asthmaticus</p> <p>J45.990 Exercise induced bronchospasm</p> <p>J45.991 Cough variant asthma</p> <p>J45.998 Other asthma</p> <p>* Use additional code to identify:</p> <ul style="list-style-type: none"> - exposure to environmental tobacco smoke (Z77.22) - exposure to tobacco smoke in the perinatal period (P96.81) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17.-) - tobacco use (Z72.0)
786.2	Cough R05 Cough

ICD-9-CM Code	ICD-10-CM Code(s)
277.02	Cystic fibrosis with pulmonary manifestations
ICD-10-CM codes	<p>E84.0 Cystic fibrosis with pulmonary manifestations ** Use additional code to identify any infectious organism present, such as: Pseudomonas (B96.5)</p>
515	Postinflammatory pulmonary fibrosis
ICD-10-CM codes	<p>J84.10 Pulmonary fibrosis, unspecified J84.89 Other specified interstitial pulmonary diseases</p>
135	Sarcoidosis
ICD-10-CM codes	<p>D86.9 Sarcoidosis, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>D86.0 Sarcoidosis of lung</p> <p>D86.1 Sarcoidosis of lymph nodes</p> <p>D86.2 Sarcoidosis of lung with sarcoidosis of lymph nodes</p> <p>D86.3 Sarcoidosis of skin</p> <p>D86.8 Sarcoidosis of other sites</p> <p>D86.81 Sarcoid meningitis</p> <p>D86.82 Multiple cranial nerve palsies in sarcoidosis</p> <p>D86.83 Sarcoid iridocyclitis</p> <p>D86.84 Sarcoid pyelonephritis</p> <p>D86.85 Sarcoid myocarditis</p> <p>D86.86 Sarcoid athropathy</p> <p>D86.87 Sarcoid myositis</p> <p>D86.89 Sarcoidosis of other sites</p>
516.30	Idiopathic interstitial pneumonia, not otherwise specified J84.111 Idiopathic interstitial pneumonia, not otherwise specified
494.0	Bronchiectasis without acute exacerbation
ICD-10-CM codes	<p>J47.9 Bronchiectasis, uncomplicated ** Use additional code to identify:</p> <ul style="list-style-type: none"> - exposure to environmental tobacco smoke (Z77.22) - exposure to tobacco smoke in the perinatal period (P96.81) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17.-) - tobacco use (Z72.0)
493.20	Chronic obstructive asthma, unspecified
ICD-10-CM codes	<p>J44.9 Chronic obstructive pulmonary disease, unspecified ** Code also type of asthma, if applicable (J45.-) ** Use additional code to identify:</p> <ul style="list-style-type: none"> - exposure to environmental tobacco smoke (Z77.22) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17.-) - tobacco use (Z72.0) <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection</p> <p>J44.1 Chronic obstructive pulmonary disease with (acute) exacerbation</p>
340	Multiple sclerosis G35 Multiple sclerosis



ICD-9-CM Code	ICD-10-CM Code(s)	
786.09	Other respiratory abnormalities	
ICD-10-CM codes	R06.00 Dyspnea, unspecified R06.09 Other forms of dyspnea R06.3 Periodic breathing R06.83 Snoring R06.89 Other abnormalities of breathing R06.4 Hyperventilation	
491.20	Obstructive chronic bronchitis without exacerbation	
ICD-10-CM codes	J44.9 Chronic obstructive pulmonary disease, unspecified ** Code also type of asthma, if applicable (J45.-) ** Use additional code to identify: - exposure to environmental tobacco smoke (Z77.22) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17.-) - tobacco use (Z72.0)	
519.8	Other diseases of respiratory system, not elsewhere classified	
ICD-10-CM codes	J98.8 Other specified respiratory disorders ** Use additional code to identify: - exposure to environmental tobacco smoke (Z77.22) - exposure to tobacco smoke in the perinatal period (P96.81) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17.-) - tobacco use (Z72.0)	
327.8	Other organic sleep disorders	G47.8 Other sleep disorders
492.8	Other emphysema	
ICD-10-CM codes	J43.8 Other emphysema ** Use additional code to identify: - exposure to environmental tobacco smoke (Z77.22) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17.-) - tobacco use (Z72.0)	
786.6	Swelling, mass, or lump in chest	R22.2 Localized swelling, mass and lump, trunk

ICD-9-CM Code	ICD-10-CM Code(s)	
710.1	Systemic sclerosis	
ICD-10-CM codes	M34.9 Systemic sclerosis, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: M34.0 Progressive systemic sclerosis M34.1 CR(E)ST syndrome M34.2 Systemic sclerosis induced by drug and chemical ** Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6) ** Use additional code for adverse effect, if applicable, to identify drug (T35-T50 with fifth or sixth character 5) M34.81 Systemic sclerosis with lung involvement M34.82 Systemic sclerosis with myopathy M34.83 Systemic sclerosis with polyneuropathy M34.89 Other systemic sclerosis	
780.57	Unspecified sleep apnea	G47.30 Sleep apnea, unspecified
162.9	Malignant neoplasm of bronchus and lung, unspecified	
ICD-10-CM codes	C34.90 Malignant neoplasm of unspecified part of unspecified bronchus or lung ** Use additional code to identify: - alcohol use and dependence (F10.-) - exposure to environmental tobacco smoke (Z77.22) - exposure to tobacco smoke in the perinatal period (P96.81) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17.-) - tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: C34.00 Malignant neoplasm of unspecified main bronchus C34.01 Malignant neoplasm of right main bronchus C34.02 Malignant neoplasm of left main bronchus C34.10 Malignant neoplasm of upper lobe, unspecified bronchus or lung C34.11 Malignant neoplasm of upper lobe, right bronchus or lung C34.12 Malignant neoplasm of upper lobe, left bronchus or lung C34.2 Malignant neoplasm of middle lobe, bronchus or lung C34.30 Malignant neoplasm of lower lobe, unspecified bronchus or lung C34.31 Malignant neoplasm of lower lobe, right bronchus or lung C34.32 Malignant neoplasm of lower lobe, left bronchus or lung C34.80 Malignant neoplasm of overlapping sites of unspecified bronchus or lung C34.81 Malignant neoplasm of overlapping sites of right bronchus or lung C34.82 Malignant neoplasm of overlapping sites of left bronchus or lung C34.91 Malignant neoplasm of unspecified part of right bronchus or lung C34.92 Malignant neoplasm of unspecified part of left bronchus or lung	

Fast Forward
to ICD-10



ICD-9-CM Code	ICD-10-CM Code(s)
486	Pneumonia, organism unspecified
ICD-10-CM codes	J18.9 Pneumonia, unspecified organism J18.8 Other pneumonia, unspecified organism ** Code first associated influenza, if applicable (J09.X1 , J10.0- to J11.0-)
785.6	Enlargement of lymph nodes
ICD-10-CM codes	R59.9 Enlarged lymph nodes, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: R59.0 Localized enlarged lymph nodes R59.1 Generalized enlarged lymph nodes
465.9	Acute upper respiratory infections of unspecified site
ICD-10-CM codes	J06.9 Acute upper respiratory infection, unspecified J39.8 Other specified diseases of upper respiratory tract
511.9	Unspecified pleural effusion
ICD-10-CM codes	J91.8 Pleural effusion in other conditions classified elsewhere ** Code first underlying disease, such as: - filariasis (B74.0-B74.9) - influenza (J09.X2 , J10.1 , J11.1)
493.81	Exercise induced bronchospasm
ICD-10-CM codes	J45.990 Exercise induced bronchospasm ** Use additional code to identify: - exposure to environmental tobacco smoke (Z77.22) - exposure to tobacco smoke in the perinatal period (P96.81) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17-) - tobacco use (Z72.0)
416.0	Primary pulmonary hypertension
	I27.0 Primary pulmonary hypertension
V81.4	Screening for other and unspecified respiratory conditions
	Z13.83 Encounter for screening for respiratory disorder NEC
494.1	Bronchiectasis with acute exacerbation
ICD-10-CM codes	J47.1 Bronchiectasis with (acute) exacerbation ** Use additional code to identify: - exposure to environmental tobacco smoke (Z77.22) - exposure to tobacco smoke in the perinatal period (P96.81) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17-) - tobacco use (Z72.0)

ICD-9-CM Code	ICD-10-CM Code(s)
786.50	Chest pain, unspecified
ICD-10-CM codes	R07.9 Chest pain, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: R07.1 Chest pain on breathing R07.2 Precordial pain R07.81 Pleurodynia R07.82 Intercostal pain R07.89 Other chest pain
466.19	Acute bronchiolitis due to other infectious organisms
	J21.8 Acute bronchiolitis due to other specified organisms
799.02	Hypoxemia
	R09.02 Hypoxemia
327.00	Organic insomnia, unspecified
ICD-10-CM codes	G47.01 Insomnia due to medical condition ** Code also associated medical condition
786.07	Wheezing
	R06.2 Wheezing
786.30	Hemoptysis, unspecified
ICD-10-CM codes	R04.2 Hemoptysis R04.9 Hemorrhage from respiratory passages, unspecified P26.9 Unspecified pulmonary hemorrhage originating in the perinatal period ** There are more specific code choice selections available in ICD-10-CM. These include: R04.81 Acute idiopathic pulmonary hemorrhage in infants R04.89 Hemorrhage from other sites in respiratory passages
031.0	Pulmonary diseases due to other mycobacteria
	A31.0 Pulmonary mycobacterial infection
491.21	Obstructive chronic bronchitis with (acute) exacerbation
ICD-10-CM codes	J44.1 Chronic obstructive pulmonary disease with (acute) exacerbation ** Code also type of asthma, if applicable (J45.-) ** Use additional code to identify: - exposure to environmental tobacco smoke (Z77.22) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17-) - tobacco use (Z72.0)
516.8	Other specified alveolar and parietoalveolar pneumonopathies
	J84.09 Other alveolar and parieto-alveolar conditions



ICD-9-CM Code	ICD-10-CM Code(s)	
031.2	Disseminated due to other mycobacteria	A31.2 Disseminated mycobacterium avium-intracellulare complex (DMAC)
428.0	Congestive heart failure, unspecified	
ICD-10-CM codes	<p>I50.9 Heart failure, unspecified ** Code first: - heart failure complicating abortion or ectopic or molar pregnancy (O00-O07, O08.8) - heart failure following surgery (I97.13-) - heart failure due to hypertension (I11.0) - heart failure due to hypertension with chronic kidney disease (I13-) - obstetric surgery and procedures (O75.4) - rheumatic heart failure (I09.81) ** There are more specific code choice selections available in ICD-10-CM. These include: I50.1 Left ventricular failure I50.21 Acute systolic (congestive) heart failure I50.22 Chronic systolic (congestive) heart failure I50.23 Acute on chronic systolic (congestive) heart failure I50.30 Unspecified diastolic (congestive) heart failure I50.31 Acute diastolic (congestive) heart failure I50.32 Chronic diastolic (congestive) heart failure I50.33 Acute on chronic diastolic (congestive) heart failure I50.40 Unspecified combined systolic (congestive) and diastolic (congestive) heart failure I50.41 Acute combined systolic (congestive) and diastolic (congestive) heart failure I50.42 Chronic combined systolic (congestive) and diastolic (congestive) heart failure I50.43 Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure</p>	
162.3	Malignant neoplasm of upper lobe, bronchus or lung	
ICD-10-CM codes	<p>C34.10 Malignant neoplasm of upper lobe, unspecified bronchus or lung C43.11 Malignant neoplasm of upper lobe, right bronchus or lung C43.12 Malignant neoplasm of upper lobe, left bronchus or lung ** Use additional code to identify: - alcohol use and dependence (F10.-) - exposure to environmental tobacco smoke (Z77.22) - exposure to tobacco smoke in the perinatal period (P96.81) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17-) - tobacco use (Z72.0)</p>	
V72.82	Pre-operative respiratory examination	Z01.811 Encounter for pre-procedural respiratory examination

ICD-9-CM Code	ICD-10-CM Code(s)	
519.4	Disorders of diaphragm	
ICD-10-CM codes	<p>J98.6 Disorders of diaphragm ** Use additional code to identify: - alcohol use and dependence (F10.-) - exposure to environmental tobacco smoke (Z77.22) - exposure to tobacco smoke in the perinatal period (P96.81) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17-) - tobacco use (Z72.0)</p>	
078.5	Cytomegaloviral disease	
ICD-10-CM codes	<p>B25.9 Cytomegaloviral disease, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: B25.0 Cytomegalovirus pneumonitis B25.1 Cytomegalovirus hepatitis B25.2 Cytomegalovirus pancreatitis B25.8 Other cytomegaloviral disease</p>	
277.00	Cystic fibrosis without mention of meconium ileus	
ICD-10-CM codes	<p>E84.9 Cystic fibrosis, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: E84.0 Cystic fibrosis with pulmonary manifestations ** Use additional code to identify any infectious organism present, such as: Pseudomonas (B96.5) E84.11 Meconium ileus in cystic fibrosis E84.19 Cystic fibrosis with other intestinal manifestations E84.8 Cystic fibrosis with other manifestations</p>	
273.4	Alpha-1-antitrypsin deficiency	
ICD-10-CM codes	<p>E88.01 Alpha-1-antitrypsin deficiency ** Use additional codes for associated conditions</p>	
530.81	Esophageal reflux	
ICD-10-CM codes	<p>K21.9 Gastro-esophageal reflux disease without esophagitis K21.0 Gastro-esophageal reflux disease with esophagitis</p>	
327.51	Periodic limb movement disorder	G47.61 Periodic limb movement disorder
514	Pulmonary congestion and hypostasis	
ICD-10-CM codes	<p>J81.1 Chronic pulmonary edema ** Use additional code to identify: - exposure to environmental tobacco smoke (Z77.22) - history of tobacco use (Z87.891) - occupational exposure to environmental tobacco smoke (Z57.31) - tobacco dependence (F17-) - tobacco use (Z72.0)</p>	