



ICD-9-CM Code	ICD-10-CM Code(s)
327.23	Obstructive sleep apnea (adult)(pediatric) G47.33 Obstructive sleep apnea (adult)(pediatric)
780.39	Other convulsions
ICD-10-CM codes	R56.9 Unspecified convulsions There are additional code choice selections in ICD-10-CM. They are: R56.00 Simple febrile convulsions R56.01 Complex febrile convulsions R56.1 Post traumatic seizures
340	Multiple sclerosis G35 Multiple sclerosis
332.0	Paralysis agitans
ICD-10-CM codes	G20 Parkinson's disease G21.4 Vascular Parkinsonism
354.0	Carpal tunnel syndrome
ICD-10-CM codes	G56.00 Carpal tunnel syndrome, unspecified upper limb G56.01 Carpal tunnel syndrome, right upper limb G56.02 Carpal tunnel syndrome, left upper limb
782.0	Disturbance of skin sensation
ICD-10-CM codes	R20.0 Anesthesia of skin R20.1 Hypoesthesia of skin R20.2 Paresthesia of skin R20.3 Hyperesthesia R20.8 Other disturbances of skin R20.9 Unspecified disturbances of skin sensation
345.41	Localized-related (focal)(partial) epilepsy and epileptic syndromes with complex partial seizures, with intractable epilepsy
ICD-10-CM codes	Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. G40.211 Localized-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, with status epilepticus G40.219 Localized-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, without status epilepticus
356.4	Idiopathic progressive polyneuropathy G60.3 Idiopathic progressive polyneuropathy
724.4	Thoracic or lumbosacral neuritis or radiculitis, unspecified
ICD-10-CM codes	M51.14 Intervertebral disc disorders with radiculopathy, thoracic region M51.15 Intervertebral disc disorders with radiculopathy, thoracolumbar region M51.16 Intervertebral disc disorders with radiculopathy, lumbar region M51.17 Intervertebral disc disorders with radiculopathy, lumbosacral region M54.14 Radiculopathy, thoracic region M54.15 Radiculopathy, thoracolumbar region M54.16 Radiculopathy, lumbar region M54.17 Radiculopathy, lumbosacral region

ICD-9-CM Code	ICD-10-CM Code(s)
345.40	Localization-related (focal)(partial) epilepsy and epileptic syndromes, with complex partial seizures, without mention of intractable epilepsy
ICD-10-CM codes	Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. G40.201 Localization-related (focal)(partial) epilepsy and epileptic syndromes with complex partial seizures, not intractable, with status epilepticus G40.209 Localization-related (focal)(partial) epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus
786.09	Respiratory abnormality other
ICD-10-CM codes	R06.89 Other abnormalities of breathing There are additional code choice selections in ICD-10-CM. They are: R06.00 Dyspnea, unspecified R06.01 Orthopnea R06.02 Shortness of breath R06.09 Other forms of dyspnea R06.1 Stridor R06.2 Wheezing R06.3 Periodic breathing R06.4 Hyperventilation R06.5 Mouth breathing R06.6 Hiccough R06.7 Sneezing R06.81 Apnea, not elsewhere classified R06.82 Tachypnea, not elsewhere classified R06.83 Snoring
335.20	Amyotrophic lateral sclerosis G12.21 Amyotrophic lateral sclerosis
345.10	Generalized convulsive epilepsy without mention of intractable epilepsy
ICD-10-CM codes	Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. * Code also MERRF syndrome, if applicable (E88.42) G40.301 Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus G40.309 Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus
354.2	Lesion of ulnar nerve
ICD-10-CM codes	G56.20 Lesion of ulnar nerve, unspecified upper limb G56.21 Lesion of ulnar nerve, right upper limb G56.22 Lesion of ulnar nerve, left upper limb
333.1	Essential and other specified forms of tremor
ICD-10-CM codes	G25.0 Essential tremor G25.1 Drug-induced tremor * Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) G25.2 Other specified forms of tremor



ICD-9-CM Code	ICD-10-CM Code(s)
723.4	Brachial neuritis or radiculitis, NOS
ICD-10-CM codes	<p>M50.10 Cervical disc disorder with radiculopathy, unspecified cervical region</p> <p>M50.11 Cervical disc disorder with radiculopathy, occipito-atlanto-axial region</p> <p>M50.12 Cervical disc disorder with radiculopathy, mid-cervical region</p> <p>M50.13 Cervical disc disorder with radiculopathy, cervicothoracic region</p> <p>M54.11 Radiculopathy, occipito-atlanto-axial region</p> <p>M54.12 Radiculopathy, cervical region</p> <p>M54.13 Radiculopathy, cervicothoracic region</p>
781.2	Abnormality of gait
ICD-10-CM codes	<p>R26.9 Unspecified abnormalities of gait and mobility There are additional code choices available in ICD-10-CM. They are:</p> <p>R26.0 Ataxic gait</p> <p>R26.1 Paralytic gait</p> <p>R26.2 Difficulty in walking, not elsewhere classified</p> <p>R26.81 Unsteadiness on feet</p> <p>R26.89 Other abnormalities of gait and mobility</p>
333.0	Other degenerative diseases of the basal ganglia
ICD-10-CM codes	<p>G23.9 Degenerative disease of basal ganglia, unspecified There are additional code choices in ICD-10-CM. They are:</p> <p>G23.0 Hallervorden-Spatz disease</p> <p>G23.1 Progressive supra nuclear ophthalmoplegia [Steele-Richardson-Olszewski]</p> <p>G23.2 Striatonigral degeneration</p> <p>G23.8 Other specified degenerative diseases of basal ganglia</p> <p>G90.3 Multi-system degeneration of the autonomic nervous system</p>
345.11	Generalized convulsive epilepsy with intractable epilepsy
ICD-10-CM codes	<p>Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled.</p> <p>* Code also MERRF syndrome, if applicable (E88.42)</p> <p>G40.311 Generalized idiopathic epilepsy and epileptic syndromes, intractable with status epilepticus</p> <p>G40.319 Generalized idiopathic epilepsy and epileptic syndromes, intractable without status epilepticus</p>
333.83	Spasmodic torticollis G24.3 Spasmodic torticollis
356.9	Unspecified idiopathic peripheral neuropathy
ICD-10-CM codes	<p>G60.9 Hereditary and idiopathic neuropathy, unspecified There are additional code choice selections in ICD-10-CM. They are:</p> <p>G60.0 Hereditary motor and sensory neuropathy</p> <p>G60.1 Refsum's disease</p> <p>G60.2 Neuropathy in association with hereditary ataxia</p> <p>G60.3 Idiopathic progressive neuropathy</p> <p>G60.8 Other hereditary and idiopathic neuropathies</p>

ICD-9-CM Code	ICD-10-CM Code(s)
784.0	Headache
ICD-10-CM codes	<p>R51 Headache</p> <p>G44.1 Vascular headache, not elsewhere classified</p>
358.00	Myasthenia gravis without (acute) exacerbation G70.00 Myasthenia gravis without (acute) exacerbation
729.5	Pain in limb
ICD-10-CM codes	<p>M79.609 Pain in unspecified limb There are additional code choice selections available in ICD-10-CM. They are:</p> <p>M79.601 Pain in right arm</p> <p>M79.602 Pain in left arm</p> <p>M79.603 Pain in arm, unspecified</p> <p>M79.604 Pain in right leg</p> <p>M79.605 Pain in left leg</p> <p>M79.606 Pain in leg, unspecified</p> <p>M79.621 Pain in right upper arm</p> <p>M79.622 Pain in left upper arm</p> <p>M79.629 Pain in unspecified upper arm</p> <p>M79.631 Pain in right forearm</p> <p>M79.632 Pain in left forearm</p> <p>M79.639 Pain in unspecified forearm</p> <p>M79.641 Pain in right hand</p> <p>M79.642 Pain in left hand</p> <p>M79.643 Pain in unspecified hand</p> <p>M79.644 Pain in right finger(s)</p> <p>M79.645 Pain in left finger(s)</p> <p>M79.646 Pain in unspecified finger(s)</p> <p>M79.651 Pain in right thigh</p> <p>M79.652 Pain in left thigh</p> <p>M79.659 Pain in unspecified thigh</p> <p>M79.661 Pain in right lower leg</p> <p>M79.662 Pain in left lower leg</p> <p>M79.669 Pain in unspecified lower leg</p> <p>M79.671 Pain in right foot</p> <p>M79.672 Pain in left foot</p> <p>M79.673 Pain in unspecified foot</p> <p>M79.674 Pain in right toe(s)</p> <p>M79.675 Pain in left toe(s)</p> <p>M79.679 Pain in unspecified toes(s)</p>
327.10	Organic hypersomnia, unspecified
ICD-10-CM codes	<p>G47.10 Hypersomnia, unspecified There are additional code choice selections in ICD-10-CM. They are:</p> <p>G47.11 Idiopathic hypersomnia with long sleep time</p> <p>G47.12 Idiopathic hypersomnia without long sleep time</p> <p>G47.13 Recurrent hypersomnia</p> <p>G47.14 Hypersomnia due to medical condition</p> <p>* Code also associated medical condition</p> <p>G47.19 Other hypersomnia</p>



ICD-9-CM Code	ICD-10-CM Code(s)	
346.11	Migraine without aura, with intractable migraine, so stated, without mention of status migrainosus	
ICD-10-CM codes	Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. G43.019 Migraine without aura, intractable, without status migrainosus	
345.90	Epilepsy, unspecified, without mention of intractable epilepsy	
ICD-10-CM codes	Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. G40.901 Epilepsy, unspecified, not intractable, with status epilepticus G40.909 Epilepsy, unspecified, not intractable, without status epilepticus	
780.4	Dizziness and giddiness	R42 Dizziness and giddiness
V12.54	Personal history of transient ischemic attack (TIA), and cerebral infarction without residual deficits	Z86.73 Personal history of transient ischemic attack (TIA) and cerebral infarction without residual deficits
346.01	Migraine with aura, with intractable migraine, so stated, without mention of status migrainosus	
ICD-10-CM codes	Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled mention of status migrainosus. G43.119 Migraine with aura, intractable, without status migrainosus	
781.0	Abnormal involuntary movements	
ICD-10-CM codes	R25.0 Abnormal head movements R25.1 Tremor, unspecified R25.2 Cramp and spasm R25.3 Fasciculaton R25.8 Other abnormal involuntary movements R25.9 Unspecified abnormal involuntary movements	

ICD-9-CM Code	ICD-10-CM Code(s)	
357.9	Unspecified inflammatory and toxic neuropathies	
ICD-10-CM codes	G61.9 Inflammatory polyneuropathy, unspecified There are additional code choice selections in ICD-10-CM. They are: G61.0 Guillain-Barre syndrome G61.1 Serum neuropathy * Use additional code for adverse effect, if applicable, to identify serum (T50.-) G61.81 Chronic inflammatory demyelinating polyneuritis G61.89 Other inflammatory polyneuropathies G61.9 Inflammatory polyneuropathy, unspecified G62.0 Drug-induced polyneuropathy ** Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) G62.1 Alcoholic polyneuropathy G62.2 Polyneuropathy due to other toxic agents * Code first (T51-T65) to identify toxic agent G62.81 Critical illness polyneuropathy G62.82 Radiation-induced polyneuropathy *** Use additional external cause code (W88-W90, X39.0-) to identify cause G62.89 Other specified polyneuropathy G62.9 Polyneuropathy, unspecified	
724.2	Lumbago	M54.5 Low back pain
780.93	Memory loss	
ICD-10-CM codes	R41.3 Other amnesia There are additional code choice selections in ICD-10-CM. They are: R41.1 Antegrade amnesia R41.2 Retrograde amnesia	
435.9	Unspecified transient cerebral ischemia	
ICD-10-CM codes	G45.9 Transient cerebral ischemic attack, unspecified There are additional code choice selections in ICD-10-CM. They are: G45.0 Vertebral-basilar artery syndrome G45.1 Carotid artery syndrome (hemispheric) G45.2 Multiple and bilateral precerebral artery syndromes G45.3 Amaurosis fugal G45.4 Transient global amnesia G45.8 Other Transient cerebral ischemic attacks and related syndromes	
780.2	Syncope and collapse	R55 Syncope and collapse
346.10	Migraine without aura, without mention of intractable migraine, without mention of status migrainosus	
ICD-10-CM codes	Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled. G43.009 Migraine without aura, not intractable, without status migrainosus	



ICD-9-CM Code	ICD-10-CM Code(s)	
438.89	Other late effects of cerebrovascular disease	
ICD-10-CM codes	<p>169.998 Other sequelae following unspecified cerebrovascular disease</p> <p>169.898 Other sequelae of other cerebrovascular disease There are additional code choice selections in ICD-10-CM. They are:</p> <p>169.098 Other sequelae following nontraumatic subarachnoid hemorrhage</p> <p>169.198 Other sequelae of nontraumatic intracerebral hemorrhage</p> <p>169.298 Other sequelae of other nontraumatic intracranial hemorrhage</p> <p>169.398 Other sequelae of cerebral infarction * Use additional code to identify the sequelae for the above ICD-10-CM codes</p> <p>169.890 Apraxia following other cerebrovascular disease</p> <p>169.891 Dysphagia following other cerebrovascular disease ** Use additional code to identify the type of dysphagia, if known (R13.1-)</p> <p>169.892 Facial weakness following other cerebrovascular disease</p> <p>169.893 Ataxia following other cerebrovascular disease</p>	
347.00	Narcolepsy without cataplexy	G47.419 Narcolepsy without cataplexy
780.79	Other malaise and fatigue	
ICD-10-CM codes	<p>R53.81 Other malaise</p> <p>R53.83 Other fatigue There are additional code choice selections in ICD-10-CM. They are:</p> <p>R53.82 Chronic fatigue, unspecified</p> <p>G93.3 Postviral fatigue syndrome</p> <p>R53.0 Neoplastic (malignant) related fatigue * Code first associated neoplasm</p> <p>R53.1 Weakness</p>	
377.30	Optic neuritis, unspecified	
ICD-10-CM codes	<p>H46.9 Unspecified optic neuritis There are additional code selections in ICD-10-CM. They are:</p> <p>H46.00 Optic papillitis, unspecified eye</p> <p>H46.01 Optic papillitis, right eye</p> <p>H46.02 Optic papillitis, left eye</p> <p>H46.03 Optic papillitis, bilateral</p> <p>H46.10 Retrobulbar neuritis, unspecified eye</p> <p>H46.11 Retrobulbar neuritis, right eye</p> <p>H46.12 Retrobulbar neuritis, left eye</p> <p>H46.13 Retrobulbar neuritis, bilateral</p> <p>H46.2 Nutritional optic neuropathy</p> <p>H46.3 Toxic optic neuropathy</p> <p>H46.8 Other optic neuritis</p>	
357.81	Chronic inflammatory demyelinating polyneuritis	G61.81 Chronic inflammatory demyelinating polyneuritis

ICD-9-CM Code	ICD-10-CM Code(s)	
327.00	Organic insomnia, unspecified	
ICD-10-CM codes	<p>G47.00 Insomnia, unspecified There are additional code selections in ICD-10-CM. They are:</p> <p>G47.01 Insomnia due to medical condition</p> <p>G47.09 Other insomnia</p>	
345.51	Localization-related (focal)(partial) epilepsy and epileptic syndromes with simple partial seizures, with intractable epilepsy	
ICD-10-CM codes	<p>Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled.</p> <p>G40.011 Localization-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, with status epilepticus</p> <p>G40.019 Localization-related (focal)(partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, without status epilepticus</p> <p>G40.111 Localization-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, with status epilepticus</p> <p>G40.119 Localization-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, without status epilepticus</p>	
346.00	Migraine with aura, without mention of intractable migraine, without mention of status migrainosus	
ICD-10-CM codes	<p>Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled.</p> <p>G43.109 Migraine with aura, not intractable, without status migrainosus</p>	
346.90	Migraine unspecified, without mention of intractable migraine, without mention of status migrainosus	
ICD-10-CM codes	<p>Note: The following terms are to be considered equivalent to intractable: pharmacoresistant (pharmacologically resistant), treatment resistant, refractory (medically), and poorly controlled.</p> <p>G43.909 Migraine, unspecified, not intractable, without status migrainosus</p>	
307.42	Persistent disorder of initiating or maintaining	
ICD-10-CM codes	<p>G47.01 Insomnia due to medical condition * Code also associated medical condition</p> <p>G47.00 Insomnia, unspecified</p> <p>G47.09 Other insomnia ** There are additional code selections in ICD-10-CM. They are:</p> <p>F51.01 Primary insomnia</p> <p>F51.02 Adjustment insomnia</p> <p>F51.03 Paradoxical insomnia</p> <p>F51.04 Psychophysiological insomnia</p> <p>F51.09 Other insomnia not due to a substance or known physiological condition</p>	
333.81	Blepharospasm	G24.5 Blepharospasm
331.82	Dementia with Lewy bodies	G31.83 Dementia with Lewy bodies
723.1	Cervicalgia	M54.2 Cervicalgia