



ICD-9-CM Code		ICD-10-CM Code(s)
<b>V76.51</b>	Special screening for malignant neoplasms, colon	<b>Z12.11</b> Encounter for screening for malignant neoplasm of colon
<b>211.3</b>	Benign neoplasm colon	
ICD-10-CM Codes	<b>D12.6</b> Benign neoplasm of colon, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: <b>D12.0</b> Benign neoplasm of cecum <b>D12.1</b> Benign neoplasm of appendix <b>D12.2</b> Benign neoplasm of ascending colon <b>D12.3</b> Benign neoplasm of transverse colon <b>D12.4</b> Benign neoplasm of descending colon <b>D12.5</b> Benign neoplasm of sigmoid colon	
<b>789.00</b>	Abdominal pain, unspecified site	
ICD-10-CM Codes	<b>R10.9</b> Unspecified abdominal pain * There are more specific code choice selections available in ICD-10-CM. These include: <b>R10.0</b> Acute abdomen <b>R10.10</b> Upper abdominal pain, unspecified <b>R10.11</b> Right upper quadrant pain <b>R10.12</b> Left upper quadrant pain <b>R10.13</b> Epigastric pain <b>R10.2</b> Pelvic and perineal pain <b>R10.30</b> Lower abdominal pain, unspecified <b>R10.31</b> Right lower quadrant pain <b>R10.32</b> Left lower quadrant pain <b>R10.33</b> Periumbilical pain <b>R10.84</b> Generalized abdominal pain	
<b>V12.72</b>	Personal history of colonic polyps	<b>Z86.010</b> Personal history of colonic polyps
<b>787.20</b>	Dysphagia, unspecified	
ICD-10-CM Codes	<b>R13.0</b> Aphagia <b>R13.10</b> Dysphagia ** Code first, if applicable, dysphagia following cerebrovascular disease (I69, with final characters -91)	
<b>V16.0</b>	Family history of malignant neoplasm of gastrointestinal tract	<b>Z80.0</b> Family history of primary malignant neoplasm of digestive organs
<b>562.10</b>	Diverticulosis of colon (without hemorrhage)	<b>K57.30</b> Diverticulosis of large intestine without perforation or abscess without bleeding
<b>530.81</b>	Esophageal reflux	
ICD-10-CM Codes	<b>K21.9</b> Gastro-esophageal reflux without esophagitis <b>K21.0</b> Gastro-esophageal reflux with esophagitis	
<b>787.91</b>	Diarrhea	<b>R19.7</b> Diarrhea, unspecified
<b>530.85</b>	Barrett's esophagus	
ICD-10-CM Codes	<b>K22.70</b> Barrett's esophagus without dysplasia <b>K22.710</b> Barrett's esophagus with low grade dysplasia <b>K22.711</b> Barrett's esophagus with high grade dysplasia <b>K22.719</b> Barrett's esophagus with dysplasia, unspecified	

ICD-9-CM Code		ICD-10-CM Code(s)
<b>578.9</b>	Hemorrhage of gastrointestinal tract, unspecified	<b>K92.2</b> Gastrointestinal hemorrhage, unspecified
<b>793.4</b>	Nonspecific (abnormal) findings on radiologic and other examination of gastrointestinal tract	<b>R93.3</b> Abnormal findings on diagnostic imaging of other parts of digestive tract
<b>211.4</b>	Benign neoplasm of rectum and anal canal	
ICD-10-CM Codes	<b>D12.7</b> Benign neoplasm of rectosigmoid junction <b>D12.8</b> Benign neoplasm of rectum <b>D12.9</b> Benign neoplasm of anus and anal canal	
<b>574.50</b>	Calculus of bile duct without cholecystitis without obstruction	<b>K80.50</b> Calculus of bile duct without cholangitis or cholecystitis without obstruction
<b>535.10</b>	Atrophic gastritis (without hemorrhage)	<b>K29.40</b> Chronic atrophic gastritis without bleeding
<b>555.9</b>	Regional enteritis of unspecified site	
ICD-10-CM Codes	<b>K50.90</b> Crohn's disease, unspecified, without complications ** Use additional code to identify manifestations, such as: pyoderma gangrenosum ( <b>L88</b> ) * There are more specific code choice selections available in ICD-10-CM. These include: <b>K50.00</b> Crohn's disease of small intestine without complications <b>K50.011</b> Crohn's disease of small intestine with rectal bleeding <b>K50.012</b> Crohn's disease of small intestine with intestinal obstruction <b>K50.013</b> Crohn's disease of small intestine with fistula <b>K50.014</b> Crohn's disease of small intestine with abscess <b>K50.018</b> Crohn's disease of small intestine with other complication <b>K50.019</b> Crohn's disease of small intestine with unspecified complications <b>K50.10</b> Crohn's disease of large intestine without complications <b>K50.111</b> Crohn's disease of large intestine with rectal bleeding <b>K50.112</b> Crohn's disease of large intestine with intestinal obstruction <b>K50.113</b> Crohn's disease of large intestine with fistula <b>K50.114</b> Crohn's disease of large intestine with abscess <b>K50.118</b> Crohn's disease of large intestine with other complication <b>K50.119</b> Crohn's disease of large intestine with unspecified complications <b>K50.80</b> Crohn's disease of both small and large intestine without complications <b>K50.811</b> Crohn's disease of both small and large intestine with rectal bleeding <b>K50.812</b> Crohn's disease of both small and large intestine with intestinal obstruction <b>K50.813</b> Crohn's disease of both small and large intestine with fistula <b>K50.814</b> Crohn's disease of both small and large intestine with abscess <b>K50.818</b> Crohn's disease of both small and large intestine with other complication <b>K50.819</b> Crohn's disease of both small and large intestine with unspecified complications <b>K50.911</b> Crohn's disease, unspecified, with rectal bleeding <b>K50.912</b> Crohn's disease, unspecified, with intestinal obstruction <b>K50.913</b> Crohn's disease, unspecified, with fistula <b>K50.914</b> Crohn's disease, unspecified, with abscess	



ICD-9-CM Code	ICD-10-CM Code(s)	
555.9	Continued	
ICD-10-CM Codes (cont.)	<b>K50.918</b> Crohn's disease, unspecified, with other complication <b>K50.919</b> Crohn's disease, unspecified, with unspecified complications	
569.3	Hemorrhage of rectum and anus	<b>K62.5</b> Hemorrhage of anus and rectum
455.0	Internal hemorrhoids without complication	
ICD-10-CM Codes	<b>K64.0</b> Hemorrhoids, 1st degree (grade/stage I) <b>K64.1</b> Hemorrhoids 2nd degree (grade/stage II) <b>K64.2</b> Hemorrhoids 3rd degree (grade/stage III) <b>K64.3</b> Hemorrhoids 4th degree (grade/stage IV) <b>K64.8</b> Hemorrhoids, other (without mention of degree) <b>K64.9</b> Hemorrhoids, unspecified (without mention of degree)	
558.9	Other and unspecified noninfectious gastroenteritis and colitis	
ICD-10-CM Codes	<b>K52.89</b> Other specified noninfective gastroenteritis and colitis <b>K52.9</b> Noninfective gastroenteritis and colitis, unspecified	
571.5	Cirrhosis of liver without alcohol	
ICD-10-CM Codes	<b>K74.60</b> Unspecified cirrhosis of liver <b>K74.69</b> Other cirrhosis of liver ** Code also, if applicable, viral hepatitis (acute) (chronic) ( <b>B15-B19</b> )	
530.3	Stricture and stenosis of esophagus	<b>K22.2</b> Esophageal obstruction
553.3	Diaphragmatic hernia without obstruction or gangrene	<b>K44.9</b> Diaphragmatic hernia without obstruction or gangrene
787.99	Other symptoms involving digestive system	<b>R19.8</b> Other specified symptoms and signs involving the digestive system and abdomen
564.00	Constipation, unspecified	
ICD-10-CM Codes	<b>K59.00</b> Constipation, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: <b>K59.01</b> Slow transit constipation <b>K59.02</b> Outlet dysfunction constipation <b>K59.09</b> Other constipation	
456.1	Esophageal varices without bleeding	<b>I85.00</b> Esophageal varices without bleeding
285.9	Anemia unspecified	
ICD-10-CM Codes	<b>D64.9</b> Anemia, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: <b>D64.81</b> Anemia due to antineoplastic chemotherapy <b>D64.89</b> Other specified anemias	
790.4	Nonspecific elevation of levels of transaminase or lactic acid dehydrogenase (LDH)	<b>R74.0</b> Nonspecific elevation of levels of transaminase and lactic acid dehydrogenase (LDH)

ICD-9-CM Code	ICD-10-CM Code(s)	
556.8	Other ulcerative colitis	
ICD-10-CM Codes	<b>K51.80</b> Other ulcerative colitis without complications <b>K51.811</b> Other ulcerative colitis with rectal bleeding <b>K51.812</b> Other ulcerative colitis with intestinal obstruction <b>K51.813</b> Other ulcerative colitis with fistula <b>K51.814</b> Other ulcerative colitis with abscess <b>K51.818</b> Other ulcerative colitis with other complication <b>K51.819</b> Other ulcerative colitis with unspecified complications ** Use additional code to identify manifestations, such as: pyoderma gangrenosum ( <b>L88</b> )	
530.10	Esophagitis unspecified	
ICD-10-CM Codes	<b>K20.9</b> Esophagitis, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: <b>K20.0</b> Eosinophilic esophagitis <b>K20.8</b> Other esophagitis ** Use additional code to identify: Alcohol abuse and dependence ( <b>F10-</b> )	
280.9	Iron deficiency anemia unspecified	
ICD-10-CM Codes	<b>D50.9</b> Iron deficiency anemia, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: <b>D50.0</b> Iron deficiency anemia secondary to blood loss (chronic) <b>D50.1</b> Sideropenic dysphagia <b>D50.8</b> Other iron deficiency anemias	
536.8	Dyspepsia and other specified disorders of function of stomach	
ICD-10-CM Codes	<b>R10.13</b> Epigastric pain (dyspepsia) <b>K30</b> Functional dyspepsia <b>K31.0</b> Acute dilatation of stomach <b>K31.1</b> Adult hypertrophic pyloric stenosis <b>K31.2</b> Hourglass stricture and stenosis of stomach <b>K31.3</b> Pylorospasm, not elsewhere classified <b>K31.4</b> Gastric diverticulum <b>K31.5</b> Obstruction of duodenum <b>K31.6</b> Fistula of stomach and duodenum <b>K31.7</b> Polyp of stomach and duodenum <b>K31.811</b> Angiodysplasia of stomach and duodenum with bleeding <b>K31.819</b> Angiodysplasia of stomach and duodenum without bleeding <b>K31.82</b> Dieulafoy lesion (hemorrhagic) of stomach and duodenum <b>K31.83</b> Achlorhydria <b>K31.84</b> Gastroparesis <b>K31.89</b> Other disorders of stomach and duodenum	
070.54	Chronic hepatitis C without hepatic coma	<b>B18.2</b> Chronic viral hepatitis C
789.06	Abdominal pain, epigastric	<b>R10.13</b> Epigastric pain
211.1	Benign neoplasm of stomach	<b>D13.1</b> Benign neoplasm of stomach



ICD-9-CM Code	ICD-10-CM Code(s)
<b>556.9</b>	Ulcerative colitis unspecified
ICD-10-CM Codes	<p><b>K51.90</b> Ulcerative colitis, unspecified, without complications            * There are more specific code choice selections available in ICD-10-CM. These include:</p> <p><b>K51.00</b> Ulcerative (chronic) pancolitis without complications  <b>K51.011</b> Ulcerative (chronic) pancolitis with rectal bleeding  <b>K51.012</b> Ulcerative (chronic) pancolitis with intestinal obstruction  <b>K51.013</b> Ulcerative (chronic) pancolitis with fistula  <b>K51.014</b> Ulcerative (chronic) pancolitis with abscess  <b>K51.018</b> Ulcerative (chronic) pancolitis with other complication  <b>K51.019</b> Ulcerative (chronic) pancolitis with unspecified complications  <b>K51.20</b> Ulcerative (chronic) proctitis without complications  <b>K51.211</b> Ulcerative (chronic) proctitis with rectal bleeding  <b>K51.212</b> Ulcerative (chronic) proctitis with intestinal obstruction  <b>K51.213</b> Ulcerative (chronic) proctitis with fistula  <b>K51.214</b> Ulcerative (chronic) proctitis with abscess  <b>K51.218</b> Ulcerative (chronic) proctitis with other complication  <b>K51.219</b> Ulcerative (chronic) proctitis with unspecified complications  <b>K51.30</b> Ulcerative (chronic) rectosigmoiditis without complications  <b>K51.311</b> Ulcerative (chronic) rectosigmoiditis with rectal bleeding  <b>K51.312</b> Ulcerative (chronic) rectosigmoiditis with intestinal obstruction  <b>K51.313</b> Ulcerative (chronic) rectosigmoiditis with fistula  <b>K51.314</b> Ulcerative (chronic) rectosigmoiditis with abscess  <b>K51.318</b> Ulcerative (chronic) rectosigmoiditis with other complication  <b>K51.319</b> Ulcerative (chronic) rectosigmoiditis with unspecified complications  <b>K51.40</b> Inflammatory polyps of colon without complications  <b>K51.411</b> Inflammatory polyps of colon with rectal bleeding  <b>K51.412</b> Inflammatory polyps of colon with intestinal obstruction  <b>K51.413</b> Inflammatory polyps of colon with fistula  <b>K51.414</b> Inflammatory polyps of colon with abscess  <b>K51.418</b> Inflammatory polyps of colon with other complication  <b>K51.419</b> Inflammatory polyps of colon with unspecified complications  <b>K51.50</b> Left sided colitis without complications  <b>K51.511</b> Left sided colitis with rectal bleeding  <b>K51.512</b> Left sided colitis with intestinal obstruction  <b>K51.513</b> Left sided colitis with fistula  <b>K51.514</b> Left sided colitis with abscess  <b>K51.518</b> Left sided colitis with other complication  <b>K51.519</b> Left sided colitis with unspecified complications  <b>K51.80</b> Other ulcerative colitis without complications  <b>K51.811</b> Other ulcerative colitis with rectal bleeding  <b>K51.812</b> Other ulcerative colitis with intestinal obstruction  <b>K51.813</b> Other ulcerative colitis with fistula  <b>K51.814</b> Other ulcerative colitis with abscess  <b>K51.818</b> Other ulcerative colitis with other complication  <b>K51.819</b> Other ulcerative colitis with unspecified complications  <b>K51.911</b> Ulcerative colitis, unspecified with rectal bleeding  <b>K51.912</b> Ulcerative colitis, unspecified with intestinal obstruction  <b>K51.913</b> Ulcerative colitis, unspecified with fistula  <b>K51.914</b> Ulcerative colitis, unspecified with abscess  <b>K51.918</b> Ulcerative colitis, unspecified with other complication  <b>K51.919</b> Ulcerative colitis, unspecified with unspecified complications</p> <p>** Use additional code to identify manifestations, such as:            Pyoderma gangrenosum (<b>L88</b>)</p>

ICD-9-CM Code	ICD-10-CM Code(s)
<b>571.2</b>	Alcoholic cirrhosis of liver
ICD-10-CM Codes	<p><b>K70.30</b> Alcoholic cirrhosis of liver without ascites  <b>K70.31</b> Alcoholic cirrhosis of liver with ascites            ** Use additional code to identify: alcohol abuse and dependence (<b>F10-</b>)</p>
<b>578.1</b>	Blood in stool
ICD-10-CM Codes	<p><b>K92.1</b> Melena  <b>R19.5</b> Other fecal abnormalities</p>
<b>150.9</b>	Malignant neoplasm of esophagus unspecified site
ICD-10-CM Codes	<p><b>C15.9</b> Malignant neoplasm of esophagus, unspecified            * There are more specific code choice selections available in ICD-10-CM. These include:  <b>C15.3</b> Malignant neoplasm of upper third of esophagus  <b>C15.4</b> Malignant neoplasm of middle third of esophagus  <b>C15.5</b> Malignant neoplasm of lower third of esophagus  <b>C15.8</b> Malignant neoplasm of overlapping sites of esophagus            ** Use additional code to identify: alcohol abuse and dependence (<b>F10-</b>)</p>
<b>V12.79</b>	Personal history of other specified digestive system diseases
ICD-10-CM Codes	<p><b>Z87.19</b> Personal history of other diseases of the digestive system            ** Code first any follow-up examination after treatment (<b>Z09</b>)</p>
<b>786.50</b>	Chest pain, unspecified
ICD-10-CM Codes	<p><b>R07.9</b> Chest pain, unspecified            * There are more specific code choice selections available in ICD-10-CM. These include:  <b>R07.1</b> Chest pain on breathing  <b>R07.81</b> Pleurodynia  <b>R07.89</b> Other chest pain</p>
<b>577.2</b>	Cyst and pseudocyst of pancreas
ICD-10-CM Codes	<p><b>K86.2</b> Cyst of pancreas  <b>K86.3</b> Pseudocyst of pancreas</p>
<b>531.90</b>	Gastric ulcer unspecified as acute or chronic without hemorrhage or perforation without obstruction
	<b>K25.9</b> Gastric ulcer, unspecified as acute or chronic, without hemorrhage or perforation
<b>V18.51</b>	Family history, colonic polyps
	<b>Z83.71</b> Family history of colonic polyps



ICD-9-CM Code	ICD-10-CM Code(s)
<b>569.89</b>	Other specified disorders of intestines
ICD-10-CM Codes	<b>K63.89</b> Other specified diseases of intestine <b>K63.0</b> Abscess of intestine <b>K63.1</b> Perforation of intestine (nontraumatic) <b>K63.2</b> Fistula of intestine <b>K63.3</b> Ulcer of intestine <b>K63.4</b> Enteroptosis <b>K63.5</b> Polyp of colon <b>K63.81</b> Dieulafoy lesion of intestine
<b>564.1</b>	Irritable bowel syndrome
ICD-10-CM Codes	<b>K58.0</b> Irritable bowel syndrome with diarrhea <b>K58.9</b> Irritable bowel syndrome without diarrhea
<b>935.1</b>	Foreign body in esophagus
The appropriate 7 <sup>th</sup> character is to be added to each code from category <b>T18</b> :	
<b>A</b>	initial
<b>D</b>	subsequent
<b>S</b>	sequela

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes	<b>**</b> These codes require a 7th character extender. <b>T18.100-</b> Unspecified foreign body in esophagus causing compression of trachea * There are more specific code choice selections available in ICD-10-CM. These include: <b>T18.108-</b> Unspecified foreign body in esophagus causing other injury <b>T18.110-</b> Gastric contents in esophagus causing compression of trachea <b>T18.118-</b> Gastric contents in esophagus causing other injury <b>T18.120-</b> Food in esophagus causing compression of trachea <b>T18.128-</b> Food in esophagus causing other injury <b>T18.190-</b> Other foreign body in esophagus causing compression of trachea <b>T18.198-</b> Other foreign body in esophagus causing other injury
<b>576.2</b>	Obstruction of bile duct <b>K83.1</b> Obstruction of bile duct
<b>530.11</b>	Reflux esophagitis
ICD-10-CM Codes	<b>K21.0</b> Gastro-esophageal reflux disease with esophagitis <b>K21.9</b> Gastro-esophageal reflux disease without esophagitis
<b>794.8</b>	Nonspecific abnormal results of function study of liver <b>R94.5</b> Abnormal results of function studies of other organs and systems
<b>V10.05</b>	Personal history of malignant neoplasm of large intestine
ICD-10-CM Codes	<b>Z85.030</b> Personal history of malignant carcinoid tumor of large intestine <b>Z85.038</b> Personal history of other malignant neoplasm of large intestine

*Fast Forward*  
to ICD-10

