



ICD-9-CM	Code	ICD-10	-CM Code(s)
401.9	Essential hypertension, unspecified	<b>110</b> Es	sential (primary) hypertension
250.00	Diabetes mellitus withou mention of complication type II or unspecified type stated as uncontrolled	ns	<b>E11.9</b> Type 2 diabetes mellitus without complications
272.4	Other and unspecified h	yperlipid	demia
ICD-10-CM Codes	E78.4 Other hyperlipidemia E78.5 Hyperlipidemia, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: E78.0 Pure hypercholesterolemia E78.1 Pure hyperglyceridemia E78.2 Mixed hyperlipidemia E78.3 Hyperchylomicronemia E78.6 Lipoprotein deficiency		
V70.0	Routine general medical examination at a health care facility		ation at a health care facility
ICD-10-CM Codes	Z00.00 Encounter for general adult medical examination without abnormal findings  Z00.01 Encounter for general adult medical examination with abnormal findings  ** Use additional code to identify abnormal findings		
724.5	Backache, unspecified		
ICD-10-CM Codes	<ul> <li>M54.9 Dorsalgia, unspecified</li> <li>** There are more specific code choice selections available for back pain. These include:</li> <li>M54.89 Other dorsalgia</li> <li>M54.6 Pain in thoracic spine</li> <li>M54.5 Low back pain</li> <li>M53.3 Sacrococcygeal disorders, not elsewhere classified</li> </ul>		
414.00	Coronary atherosclerosis of unspecified type of vessel, native or graft	125.10	Atherosclerotic heart disease o native coronary artery without angina pectoris
V72.81	Preoperative cardiovas- cular examination	Z01.8	10 Encounter for preprocedural cardiovascular examination
780.79	Other malaise and fatigue		
ICD-10-CM Codes	R53.1 Weakness R53.81 Other malaise R53.83 Other fatigue G93.3 Postviral fatigue syndrome R53.0 Neoplastic (malignant) related fatigue * Code first associated neoplasm		
496	Chronic airway obstruction, not elsewhere classified		
ICD-10-CM Codes	J44.9 Chronic obstructive pulmonary disease, unspecified  ** There are more specific code choice selections available in ICD-10-CM. These include:  J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection  J44.1 Chronic obstructive pulmonary disease with (acute) exacerbation  ** Code also type of asthma, if applicable (J45)  ** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22)  History of tobacco use (Z87.891)		

ICD-9-CM C	ode	ICD-1	0-CM Code(s)
ICD-10-CM Codes (cont.)	Occupational exposure to environmental tobacco smoke ( <b>Z57.31</b> ) Tobacco dependence ( <b>F17</b> ) Tobacco use ( <b>Z72.0</b> )		
427.31	Atrial fibrillation		
ICD-10-CM Codes	I48.0 Paroxysmal atrial fibrillation I48.1 Persistent atrial fibrillation I48.2 Chronic atrial fibrillation I48.91 Unspecified atrial fibrillation		
V04.81	Need for prophylactic vaccination and inoculation, influenza	<b>Z23</b> E	ncounter for immunization
786.2	Cough	R05 C	ough
311	Depressive disorder, not	elsewhe	ere classified
ICD-10-CM Codes	<ul> <li>F32.9 Major depressive disorder, single episode, unspecified</li> <li>** There are more specific code choice selections available for depression. These include:</li> <li>F32.0 Major depressive disorder, single episode, mild</li> <li>F32.1 Major depressive disorder, single episode, moderate</li> <li>F32.2 Major depressive disorder, single episode, severe without psychotic features</li> <li>F32.3 Major depressive disorder, single episode, severe with psychotic features</li> <li>F32.4 Major depressive disorder, single episode, in partial remissio</li> <li>F32.5 Major depressive disorder, single episode, in full remission</li> <li>F32.8 Other depressive episodes</li> </ul>		
250.02	Diabetes mellitus withou mention of complication type II or unspecified typ uncontrolled	S	E11.65 Type 2 diabetes mellitus with hyperglycemia
729.5	Pain in limb		
ICD-10-CM Codes	M79.609 Pain in unspecified limb  ** There are more specific code choice selections available in ICD-10-CM. These include:  M79.601 Pain in right arm  M79.602 Pain in left arm  M79.603 Pain in arm, unspecified  M79.604 Pain in right leg  M79.605 Pain in left leg  M79.606 Pain in left leg  M79.602 Pain in left upper arm  M79.621 Pain in right upper arm  M79.622 Pain in unspecified upper arm  M79.631 Pain in right forearm  M79.632 Pain in left forearm  M79.633 Pain in unspecified forearm  M79.634 Pain in in giht hand  M79.641 Pain in right hand  M79.642 Pain in left hand  M79.643 Pain in unspecified hand  M79.644 Pain in right finger(s)  M79.645 Pain in left finger(s)  M79.646 Pain in unspecified finger(s)  M79.671 Pain in right foot  M79.673 Pain in unspecified foot  M79.674 Pain in right toe(s)		





ICD-9-CM	Code	ICD-10-CM Code(s)	
<b>729.5</b> (cont.)	Pain in limb		
ICD-10-CM Codes (cont.)	M79.675 Pain in left toe(s) M79.676 Pain in unspecified toe(s) M79.651 Pain in right thigh M79.652 Pain in left thigh M79.659 Pain in unspecified thigh M79.661 Pain in right lower leg M79.662 Pain in left lower leg M79.669 Pain in unspecified lower leg		
428.0	Congestive heart failure, unspecified		
ICD-10-CM Codes	<ul> <li>I50.9 Heart failure, unspecified</li> <li>** There are more specific code choice selections available in ICD-10-CM. These include:</li> <li>I50.1 Left ventricular failure</li> <li>I50.21 Acute systolic (congestive) heart failure</li> <li>I50.22 Chronic systolic (congestive) heart failure</li> <li>I50.23 Acute on chronic systolic (congestive) heart failure</li> <li>I50.31 Acute diastolic (congestive) heart failure</li> <li>I50.32 Chronic diastolic (congestive) heart failure</li> <li>I50.33 Acute on chronic diastolic (congestive) heart failure</li> <li>I50.41 Acute combined systolic (congestive) and diastolic (congestive) heart failure</li> <li>I50.42 Chronic combined systolic (congestive) and diastolic (congestive) heart failure</li> <li>I50.43 Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure</li> </ul>		
782.1	Rash and other nonspecific skin eruption R21 Rash and other nonspecific skin changes		
786.50	Chest pain, unspecified		
ICD-10-CM Codes	R07.9 Chest pain, unspecified  ** There are more specific code choice selections available in ICD-10-CM. These include:  R07.1 Chest pain on breathing  R07.81 Pleurodynia  R07.89 Other chest pain		
789.00	Abdominal pain, unspecified site		
ICD-10-CM Codes	R10.9 Unspecified abdominal pain  ** There are more specific code choice selections available for abdominal pain. These include:  R10.0 Acute abdomen  R10.10 Upper abdominal pain, unspecified  R10.11 Right upper quadrant pain  R10.12 Left upper quadrant pain  R10.13 Epigastric pain  R10.2 Pelvic and perineal pain  R10.30 Lower abdominal pain, unspecified  R10.31 Right lower quadrant pain  R10.32 Left lower quadrant pain  R10.33 Periumbilical pain  R10.84 Generalized abdominal pain		

719.46	Pain in joint, lower leg		
ICD-10-CM Codes	M25.561 Pain in right knee M25.562 Pain in left knee M25.569 Pain in unspecified knee		
782.3	Edema		
ICD-10-CM Codes	R60.0 Localized edema R60.1 Generalized edema R60.9 Edema, unspecified		
300.00	Anxiety state, unspecified		
ICD-10-CM Codes	F41.1 Generalized anxiety disorder F41.8 Other specified anxiety disorders F41.9 Anxiety disorder, unspecified		
V72.83	Other specified preoperative examination	<b>Z01.818</b> Encounter for other preprocedural examination	
780.4	Dizziness and giddiness	R42 Dizziness and giddiness	
466.0	Acute bronchitis		
ICD-10-CM Codes	J20.9 Acute bronchitis, unspecified  ** There are more specific code choice selections available in ICD-10-CM. These include:  J20.0 Acute bronchitis due to Mycoplasma pneumoniae  J20.1 Acute bronchitis due to Hemophilus influenzae  J20.2 Acute bronchitis due to streptococcus  J20.3 Acute bronchitis due to coxsackievirus  J20.4 Acute bronchitis due to parainfluenza virus  J20.5 Acute bronchitis due to respiratory syncytial virus  J20.6 Acute bronchitis due to rhinovirus  J20.7 Acute bronchitis due to echovirus  J20.8 Acute bronchitis due to other specified organisms		
786.05	Shortness of breath	R06.02 Shortness of breath	
465.9	Acute upper respiratory infections of unspecified site		
ICD-10-CM Codes	J06.9 Acute upper respiratory infection, unspecified J39.8 Other specified diseases of upper respiratory tract		
530.81	Esophageal reflux		
ICD-10-CM Codes	K21.9 Gastro-esophageal reflux disease without esophagitis K21.0 Gastro-esophageal reflux disease with esophagitis		





ICD-9-CM	Code	ICD-10-CM Code(s)
599.0	Urinary tract infection, site not specified	
ICD-10-CM Codes	N39.0 Urinary tract infection, site not specified  ** Use additional code (B95-B97)to identify infectious agent  ** There are more specific code choice selections available in ICD-10-CM. These include:  N30.00 Acute cystitis without hematuria  N30.01 Acute cystitis with hematuria  N30.10 Interstitial cystitis (chronic) without hematuria  N30.11 Interstitial cystitis (chronic) with hematuria  N30.20 Other chronic cystitis without hematuria  N30.30 Trigonitis without hematuria  N30.31 Trigonitis without hematuria  N30.31 Trigonitis with hematuria  N30.40 Irradiation cystitis without hematuria  N30.40 Other cystitis with hematuria  N30.80 Other cystitis with hematuria	
ICD-10-CM Codes (cont.)	N30.80 Other cystitis without hematuria N30.81 Other cystitis with hematuria N30.90 Cystitis, unspecified without hematuria N30.91 Cystitis, unspecified with hematuria N15.9 Renal tubule-interstitial disease, unspecified N34.1 Nonspecific urethritis N34.2 Other urethritis	
724.4	Thoracic or lumbosacral neuritis or radiculitis, unspecified	
ICD-10-CM Codes	M54.14 Radiculopathy, thoracic region M54.15 Radiculopathy, thoracolumbar region M54.16 Radiculopathy, lumbar region M54.17 Radiculopathy, lumbosacral region	
244.9	Unspecified hypothyroidism	
ICD-10-CM Codes	<ul> <li>E03.9 Hypothyroidism, unspecified</li> <li>** There are more specific code choice selections available for hypothyroidism. These include:</li> <li>E03.0 Congenital hypothyroidism with diffuse goiter</li> <li>E03.1 Congenital hypothyroidism without goiter</li> <li>E03.2 Hypothyroidism due to medicaments and other exogenous substances</li> <li>** Code first poisoning due to drug or toxin, if applicable (T36–T65 with fifth or sixth character 1–4 or 6)</li> <li>* Use additional code for adverse effect, if applicable, to identify drug (T36–T50 with fifth or sixth character 5)</li> <li>E03.3 Postinfectious hypothyroidism</li> <li>E03.4 Atrophy of thyroid (acquired)</li> <li>E03.5 Myxedema coma</li> <li>E03.8 Other specified hypothyroidism</li> </ul>	
380.4	Impacted cerumen	
ICD-10-CM Codes	H61.21 Impacted cerumen, right ear H61.22 Impacted cerumen, left ear H61.23 Impacted cerumen, bilateral H61.20 Impacted cerumen, unspecified ear	

ICD-9-CM	Code	ICD-10-CM Code(s)	
719.41	Pain in joint, shoulder region		
ICD-10-CM Codes	M25.511 Pain in right shoulder M25.512 Pain in left shoulder M25.519 Pain in unspecified shoulder		
290.0	Senile dementia, uncomplicated	F03.9 Unspecified dementia	
723.1	Cervicalgia	M54.2 Cervicalgia	
787.91	Diarrhea	R19.7 Diarrhea, unspecified	
285.9	Anemia, unspecified		
ICD-10-CM Codes	<ul> <li>D64.9 Anemia, unspecified</li> <li>** There are more specific code choice selections available for use. These include:</li> <li>D64.0 Hereditary sideroblastic anemia</li> <li>D64.1 Secondary sideroblastic anemia due to disease</li> <li>** Code first underlying disease</li> </ul>		
ICD-10-CM Codes (cont.)	<ul> <li>D64.2 Secondary sideroblastic anemia due to drugs and toxins</li> <li>** Code first (T36-T65) to identify drug or toxin</li> <li>** Code first poisoning due to drug or toxin, if applicable (T36-T65) with fifth or sixth character 1–4 or 6)</li> <li>* Use additional code for adverse effect, if applicable, to identify drug (T36-T50) with fifth or sixth character 5)</li> <li>D64.3 Other sideroblastic anemia</li> <li>D64.81 Anemia due to antineoplastic chemotherapy</li> <li>D64.89 Other specified anemias</li> </ul>		
461.9	Acute sinusitis, unspecified		
ICD-10-CM Codes	J01.90 Acute sinusitis, unspecified  ** There are more specific code choice selections available in ICD-10-CM. These include:  J01.00 Acute maxillary sinusitis, unspecified  J01.01 Acute recurrent maxillary sinusitis  J01.10 Acute frontal sinusitis, unspecfied  J01.11 Acute recurrent frontal sinusitis  J01.20 Acute ethmoidal sinusitis, unspecified  J01.21 Acute recurrent ethmoidal sinusitis  J01.30 Acute sphenoidal sinusitis  J01.31 Acute recurrent sphenoidal sinusitis  J01.40 Acute pansinusitis, unspecified  J01.41 Acute recurrent pansinusitis  J01.80 Other acute sinusitis  J01.81 Other acute recurrent sinusitis, unspecified  J01.91 Acute recurrent sinusitis, unspecified		
719.45		Pain in joint, pelvic region and thigh	
ICD-10-CM Codes	M25.551 Pain in right hip M25.552 Pain in left hip M25.559 Pain in unspecified hip		





ICD-9-CM (	Code	ICD-10-CM Code(s)	
477.9	Allergic rhinitis, cause unspecified		
ICD-10-CM Codes	J30.9 Allergic rhinitis, unspecified  ** There are more specific code choice selections available for allergic rhinitis. These include:  J30.0 Vasomotor rhinitis  J30.1 Allergic rhinitis due to pollen  J30.2 Other seasonal allergic rhinitis  J30.5 Allergic rhinitis due to food  J30.81 Allergic rhinitis due to animal (cat) (dog) hair and dander  J30.89 Other allergic rhinitis		
784.0	Headache R51 Headache		
564.00	Constipation, unspecified		
ICD-10-CM Codes	K59.00 Constipation, unspecified  ** There are more specific code choice selections available for constipation. These include:  K59.01 Slow transit constipation  K59.02 Outlet dysfunction constipation  K59.09 Other constipation		
486	Pneumonia, organism unspecified		
ICD-10-CM Codes	J18.9 Pneumonia, unspecified organism J18.8 Other pneumonia, unspecified organism ** Code first associated influenza, if applicable (J09.X1, J10.0-to J11.0-)		
338.4	Chronic pain syndrome	<b>G89.4</b> Chronic pain syndrome	
796.2	Elevated blood pressure reading without diagnosis of hypertension	R03.0 Elevated blood-pressure reading, without diagnosis of hypertension	

ICD-9-CM C	ode	ICD-10-CM Code(s)
493.90	Asthma, unspecified	
ICD-10-CM Codes	J45.909 Unspecified asthma, uncomplicated  **There are more specific code choice selections available for asthma. These include:  J45.20 Mild intermittent asthma, uncomplicated  J45.21 Mild intermittent asthma with (acute) exacerbation  J45.22 Mild intermittent asthma with status asthmaticus  J45.30 Mild persistent asthma, uncomplicated  J45.31 Mild persistent asthma with (acute) exacerbation  J45.32 Mild persistent asthma with status asthmaticus  J45.40 Moderate persistent asthma, uncomplicated  J45.41 Moderate persistent asthma with status asthmaticus  J45.42 Moderate persistent asthma with status asthmaticus  J45.50 Severe persistent asthma with (acute) exacerbation  J45.51 Severe persistent asthma with (acute) exacerbation  J45.52 Severe persistent asthma with status asthmaticus  J45.901 Unspecified asthma with status asthmaticus  J45.902 Unspecified asthma with status asthmaticus  J45.990 Exercise induced bronchospasm  J45.991 Cough variant asthma  * Use additional code to identify:     exposure to environmental tobacco smoke (Z77.22)     exposure to tobacco smoke in the perinatal period (P96.81)     history of tobacco use (Z87.891)     occupational exposure to environmental tobacco smoke     (Z57.31)     tobacco dependence (F17-)     tobacco use (Z72.0)	
724.2	Lumbago	M54.5 Low back pain
682.6	Cellulitis and abscess leg	, except foot
ICD-10-CM Codes	L03.115 Cellulitis of right lower limb L03.116 Cellulitis of left lower limb L03.119 Cellulitis of unspecified part of limb L03.125 Acute lymphangitis of right lower limb L03.126 Acute lymphangitis of left lower limb L03.129 Acute lymphangitis of unspecified part of limb	
462	Acute pharyngitis	
ICD-10-CM Codes	J02.8 Acute pharyngitis due to other specified organisms  ** Use additional code (B95–B97) to identify infectious agent J02.0 Streptococcal pharyngitis J02.9 Acute pharyngitis, unspecified	